

Steel Wire Rope 6x36WS-IWRC

Product information



ISO 4309 Rope Category No: All Diameters **RCN.09**

Rope construction: 6x36WS-IWRC.

Marking: According to standard

Standard: EN 12385-4

AS 3569

Fill factor: 0.59

RCN: 09

Australian Standard: AS 3569

Slings




Winch rope



Stay rope



Overhead cranes



Tower crane



Container crane



Mobile port crane



Offshore crane



Loading crane



Crawler crane

Piling crane



Part Code	Rope diameter mm	Tensile strength N/mm ²	Min. breaking force kN	Finish	Weight kg/100m
101100804270379	8	1,960	-	Galvanized	-
101100904270379	9	1,960	-	Galvanized	-
101101004270379	10	1,960	-	Galvanized	-
101101104270379	11	1,960	-	Galvanized	-
101101204270379	12	1,960	-	Galvanized	-
101101304270379	13	1,960	-	Galvanized	-
101101404270379	14	1,960	-	Galvanized	-
101101604270379	16	1,960	-	Galvanized	-
101101804270379	18	1,960	-	Galvanized	-
101101904270379	19	1,960	-	Galvanized	-
101102004270379	20	1,960	-	Galvanized	-
101102204270379	22	1,960	-	Galvanized	-
101102404270379	24	1,960	-	Galvanized	-
101102604270379	26	1,960	-	Galvanized	-
101102804270379	28	1,960	-	Galvanized	-
101103004270379	30	1,960	-	Galvanized	-
101103204270379	32	1,960	-	Galvanized	-
101103404270379	34	1,960	-	Galvanized	-

101103604270379	36	1,960	-	Galvanized	-
101103804270379	38	1,960	-	Galvanized	-
101104004270379	40	1,960	-	Galvanized	-
101104204270379	42	1,960	-	Galvanized	-
101104404270379	44	1,960	-	Galvanized	-
101104604270379	46	1,960	-	Galvanized	-
101104804270379	48	1,960	-	Galvanized	-
101105004270379	50	1,960	-	Galvanized	-
101105204270379	52	1,960	-	Galvanized	-
101105404270379	54	1,960	-	Galvanized	-
101105604270379	56	1,960	-	Galvanized	-
101105804270379	58	1,960	-	Galvanized	-
101106004270379	60	1,960	-	Galvanized	-
101106404270379	64	1,960	-	Galvanized	-
101106804270379	68	1,960	-	Galvanized	-
101107204270379	72	1,960	-	Galvanized	-
101107604270379	76	1,960	-	Galvanized	-