


Casar Starlift

Product information



Applications:

A very flexible rope with a core in a special design avoiding crossovers between the strands of core and preventing internal rope destruction. Hoist rope for mobile cranes, electrical hoists and other applications, where rotation resistant ropes are required.

Construction:

Rotation resistant, made out of conventional strands.

Properties:

- Rotation resistant wire rope with high breaking force
- Very flexible with good fatigue properties

ISO 4309 Rope Category No: 7-72mm RCN.23-2

Marking: According to standard

Standard: EN 12385-4

AS 3569

Fill factor: 0.65

RCN: 23-2

Tolerance Ø: +2% to +4%

Tower crane



Mobile crane




Crawler crane



Mobile port crane



Overhead cranes



Part Code	Rope diameter mm	Tensile strength N/mm ²	Steel area mm ²	Min. breaking force kN	Finish	Weight kg/100m
102100704070149	7	1,960	-	-	Bright	-

102100804070149	8	1,960	-	-	Bright	-
102100904070149	9	1,960	-	-	Bright	-
102101004070149	10	1,960	-	-	Bright	-
102101104070149	11	1,960	-	-	Bright	-
102101204070149	12	1,960	-	-	Bright	-
102101274070149	12.7	1,960	-	-	Bright	-
102101304070149	13	1,960	-	-	Bright	-
102101404070149	14	1,960	-	-	Bright	-
102101504070149	15	1,960	-	-	Bright	-
102101604070149	16	1,960	-	-	Bright	-
102101704070149	17	1,960	-	-	Bright	-
102101804070149	18	1,960	-	-	Bright	-
102101904070149	19	1,960	-	-	Bright	-
102102004070149	20	1,960	-	-	Bright	-
102102104070149	21	1,960	-	-	Bright	-
102102204070149	22	1,960	-	-	Bright	-
102102304070149	23	1,960	-	-	Bright	-
102102404070149	24	1,960	-	-	Bright	-
102102504070149	25	1,960	-	-	Bright	-
102102604070149	26	1,960	-	-	Bright	-
102102704070149	27	1,960	-	-	Bright	-
102102804070149	28	1,960	-	-	Bright	-
102102904070149	29	1,960	-	-	Bright	-

102103004070149	30	1,960	-	-	Bright	-
102103104070149	31	1,960	-	-	Bright	-
102103204070149	32	1,960	-	-	Bright	-
102103304070149	33	1,960	-	-	Bright	-
102103404070149	34	1,960	-	-	Bright	-
102103604070149	36	1,960	-	-	Bright	-
102103804070149	38	1,960	-	-	Bright	-
102104004070149	40	1,960	-	-	Bright	-
102104204070149	42	1,960	-	-	Bright	-
102104404070149	44	1,960	-	-	Bright	-
102104604070149	46	1,960	-	-	Bright	-
102104804070149	48	1,960	-	-	Bright	-
102105004070149	50	1,960	-	-	Bright	-
102105204070149	52	1,960	-	-	Bright	-
102105404070149	54	1,960	-	-	Bright	-
102105604070149	56	1,960	-	-	Bright	-
102105804070149	58	1,960	-	-	Bright	-
102106004070149	60	1,960	-	-	Bright	-
102106204070149	62	1,960	-	-	Bright	-
102106404070149	64	1,960	-	-	Bright	-
102106604070149	66	1,960	-	-	Bright	-
102106804070149	68	1,960	-	-	Bright	-
102107004070149	70	1,960	-	-	Bright	-

102107204070149

72

1,960

-

-

Bright

-