



Chain Block Pacific

Product information

Pacific Chain Blocks feature better quality in a new compact design. The extensive range is suitable for many applications in the mining, construction, industrial and automotive industry. These chain blocks have it all; better quality, easy to use, improved safety and all of this with reduced cost.

Features:

- High strength end stop with secondary end anchor for increased safety.
- "T" type hooks for improved load holding integrity (except for the 250kg capacity).
- Gear system design for reduced effort when lifting loads.

| Part Code | WLL ton | Lifting height m | Number of falls | A mm | B mm | C mm | D mm | E mm | F mm | Weight (kg) |
|-----------------|------------|---------------------|-----------------|---------|---------|---------|---------|---------|---------|----------------|
| 500100030300574 | 0.25 | 3 | 1 | 106 | 68 | 108 | 280 | 20 | Ø18 | 6 |
| 500100030600570 | 0.25 | 6 | 1 | 106 | 68 | 108 | 280 | 20 | Ø18 | 9 |
| 500100050300570 | 0.5 | 3 | 1 | 128 | 75 | 130 | 280 | 22 | Ø20 | 9 |
| 500100050600574 | 0.5 | 6 | 1 | 128 | 75 | 130 | 280 | 22 | Ø20 | 13 |
| 500100100300574 | 1 | 3 | 1 | 142 | 76 | 150 | 330 | 26 | Ø25 | 12 |
| 500100100600570 | 1 | 6 | 1 | 142 | 76 | 150 | 330 | 26 | Ø25 | 15 |
| 500100150300570 | 1.5 | 3 | 1 | 158 | 80 | 170 | 360 | 29 | Ø30 | 14 |
| 500100150600574 | 1.5 | 6 | 1 | 158 | 80 | 170 | 360 | 29 | Ø30 | 16 |
| 500100200300570 | 2 | 3 | 1 | 175 | 88 | 185 | 385 | 35 | Ø33 | 20 |
| 500100200600574 | 2 | 6 | 1 | 175 | 88 | 185 | 385 | 35 | Ø33 | 27 |
| 500100300300574 | 3 | 3 | 1 | 158 | 80 | 220 | 510 | 37 | Ø36 | 23 |
| 500100300600570 | 3 | 6 | 2 | 158 | 80 | 220 | 510 | 37 | 36 | 33 |
| 500100500300574 | 5 | 3 | 2 | 183 | 90 | 225 | 615 | 43 | Ø43 | 39 |
| 500100500600570 | 5 | 6 | 2 | 183 | 90 | 225 | 615 | 43 | Ø43 | 46 |
| 500101000300570 | 10 | 3 | 4 | 195 | 95 | 355 | 810 | 47 | Ø44 | 75 |
| 500101000600574 | 10 | 6 | 4 | 195 | 95 | 355 | 810 | 47 | Ø44 | 88 |

Blueprint

